



Patient: Demo Patient-UDS  
 Patient ID: NEWDemoUDS  
 Provider: Test Phy  
 Organization: Test Org  
 Location: Test Loc

DOB: 09/15/1975  
 Age: 43  
 Gender: Male

Accession: 72936  
 Collected: 02/19/2019 04:30 PM  
 Requisition: 02/20/2019 02:30 PM  
 Received: 02/20/2019 02:35 PM  
 Sample Type: Urine

**Medications**

Valium

**Confirmation Positive Summary**

	Result	Interpretation	Flag	Cutoff	Detection Window; Comments
Nordiazepam	54	CONSISTENT	Positive	50 ng/mL	2-4 days; Nordiazepam is a metabolite of Diazepam.
Oxazepam	368	CONSISTENT	Positive	50 ng/mL	2-5 days; Oxazepam is a metabolite of Diazepam and Temazepam, and may be present alone.
Temazepam	112	CONSISTENT	Positive	50 ng/mL	1-4 days; Temazepam is also a metabolite of Diazepam.
Benzoylcegonine	>500	ILLICIT	Positive	50 ng/mL	3-5 days; Benzoylcegonine is a Cocaine metabolite.

**INCONSISTENT: Prescribed - Not Detected**

	Result	Cutoff	Detection Window; Comments
Diazepam	Negative	50 ng/mL	<24 hours; Nordiazepam, Oxazepam, and Temazepam are metabolites of Diazepam.

**INCONSISTENT: Not Prescribed - Detected**

	Result	Cutoff	Detection Window; Comments
Benzoylcegonine	>500	50 ng/mL	3-5 days; Benzoylcegonine is a Cocaine metabolite.

**Result Interpretation Flag Cutoff**

**SPECIMEN VALIDITY (AU480)**

CREATININE	50.0	Normal	20 - 400 mg/dL
pH	7.2	Normal	4.5 - 9.0
SPECIFIC GRAVITY	1.005	Normal	1.001 - 1.030

**TOXICOLOGY SCREEN (API3200)**

AMPHETAMINES	Negative	Normal	300 ng/mL
BARBITURATES	Negative	Normal	300 ng/mL
BENZODIAZEPINES	Positive	High	150 ng/mL
BUPRENORPHINE	Negative	Normal	6 ng/mL
CANNABINOIDS	Negative	Normal	75 ng/mL
CARISOPRODOL	Negative	Normal	300 ng/mL
COCAINE	Positive	High	150 ng/mL
COTININE	Negative	Normal	300 ng/mL

\*A negative result indicates drug not detected or concentration below the cutoff (Trace amount). Please contact Vision Laboratories with any questions about this report.

-All tests are performed at Vision Laboratories, 6130 Shallowford Rd, Suite 100, Chattanooga, TN, 37421.

-Disclaimer: The development and performance characteristics of these tests were determined by Vision Laboratories, LLC and have not been cleared or approved by the FDA.

-Credentials: CLIA high complexity lab certification #44D2080585. COLA certification #025490. Drug screening and confirmation quantitative analyses are conducted on SCIEX 3200 triple quad and SCIEX 4500 triple quad systems, respectively.



Patient: Demo Patient-UDS

DOB: 09/15/1975

Accession: 72936

Patient ID: NEWDemoUDS

Age: 43

Collected: 02/19/2019 04:30 PM

Provider: Test Phy

Gender: Male

Requisition: 02/20/2019 02:30 PM

Organization: Test Org

Received: 02/20/2019 02:35 PM

Location: Test Loc

Sample Type: Urine

	Result	Interpretation	Flag	Cutoff
<b>TOXICOLOGY SCREEN (API3200)</b>				
ECSTASY	Negative		Normal	300 ng/mL
FENTANYL	Negative		Normal	2 ng/mL
KETAMINE	Negative		Normal	150 ng/mL
MEPERIDINE	Negative		Normal	150 ng/mL
METHADONE	Negative		Normal	150 ng/mL
METHAMPHETAMINE	Negative		Normal	300 ng/mL
OPIATES	Negative		Normal	150 ng/mL
OXYCODONE	Negative		Normal	150 ng/mL
SYNTHETIC CANNABINOIDS	Negative		Normal	60 ng/mL
TAPENTADOL	Negative		Normal	75 ng/mL
TRICYCLIC ANTIDEPRESSANTS	Negative		Normal	300 ng/mL
TRAMADOL	Negative		Normal	150 ng/mL
ZOLPIDEM	Negative		Normal	15 ng/mL
<b>ALCOHOL BIOMARKERS (LC/MS/MS)</b>				
Ethyl Glucuronide	Negative			500 ng/mL
Ethyl Sulfate	Negative			500 ng/mL
<b>AMPHETAMINES (LC/MS/MS)</b>				
Amphetamine	Negative			100 ng/mL
Methamphetamine	Negative			100 ng/mL
<b>ANALGESICS, NON-OPIOID (LC/MS/MS)</b>				
Acetaminophen	Negative			100 ng/mL
<b>ANITDEPRESSANTS, SEROTONERGIC (LC/MS/MS)</b>				
Citalopram	Negative			50 ng/mL
Fluoxetine	Negative			100 ng/mL
Sertraline	Negative			100 ng/mL
<b>ANTIDEPRESSANTS, TRICYCLIC</b>				
Amitriptyline	Negative			100 ng/mL
Nortriptyline	Negative			100 ng/mL
Clomipramine	Negative			100 ng/mL

\*A negative result indicates drug not detected or concentration below the cutoff (Trace amount). Please contact Vision Laboratories with any questions about this report.

-All tests are performed at Vision Laboratories, 6130 Shallowford Rd, Suite 100, Chattanooga, TN, 37421.

-Disclaimer: The development and performance characteristics of these tests were determined by Vision Laboratories, LLC and have not been cleared or approved by the FDA.

-Credentials: CLIA high complexity lab certification #44D2080585. COLA certification #025490. Drug screening and confirmation quantitative analyses are conducted on SCIEX 3200 triple quad and SCIEX 4500 triple quad systems, respectively.

Patient: Demo Patient-UDS

DOB: 09/15/1975

Accession: 72936

Patient ID: NEWDemoUDS

Age: 43

Collected: 02/19/2019 04:30 PM

Provider: Test Phy

Gender: Male

Requisition: 02/20/2019 02:30 PM

Organization: Test Org

Received: 02/20/2019 02:35 PM

Location: Test Loc

Sample Type: Urine

	Result	Interpretation	Flag	Cutoff
<b>ANTIDEPRESSANTS, TRICYCLIC</b>				
Doxepin	Negative			100 ng/mL
Imipramine	Negative			100 ng/mL
Desipramine	Negative			100 ng/mL
<b>ANTIDEPRESSANTS, NOT SPECIFIED (LC/MS/MS)</b>				
Duloxetine	Negative			100 ng/mL
Venlafaxine	Negative			100 ng/mL
<b>BARBITURATES (LC/MS/MS)</b>				
Amobarbital/Pentobarbital	Negative			100 ng/mL
Butalbital	Negative			100 ng/mL
Phenobarbital	Negative			100 ng/mL
Secobarbital	Negative			100 ng/mL
<b>BENZODIAZEPINES (LC/MS/MS)</b>				
Alprazolam	Negative			50 ng/mL
Alpha-Hydroxyalprazolam	Negative			50 ng/mL
Clonazepam	Negative			50 ng/mL
7-Aminoclonazepam	Negative			25 ng/mL
Diazepam	Negative	<b>INCONSISTENT</b>		50 ng/mL
<i>*Trace amount detected</i>				
Nordiazepam	54	CONSISTENT	<b>Positive</b>	50 ng/mL
Oxazepam	368	CONSISTENT	<b>Positive</b>	50 ng/mL
Temazepam	112	CONSISTENT	<b>Positive</b>	50 ng/mL
Flunitrazepam	Negative			50 ng/mL
7-Aminoflunitrazepam	Negative			50 ng/mL
Lorazepam	Negative			50 ng/mL
<b>BUPRENORPHINE (LC/MS/MS)</b>				
Buprenorphine	Negative			2 ng/mL
Norbuprenorphine	Negative			2 ng/mL
<b>CANNABINOIDS, NATURAL (LC/MS/MS)</b>				
Marijuana (THC-COOH)	Negative			25 ng/mL

\*A negative result indicates drug not detected or concentration below the cutoff (Trace amount). Please contact Vision Laboratories with any questions about this report.

-All tests are performed at Vision Laboratories, 6130 Shallowford Rd, Suite 100, Chattanooga, TN, 37421.

-Disclaimer: The development and performance characteristics of these tests were determined by Vision Laboratories, LLC and have not been cleared or approved by the FDA.

-Credentials: CLIA high complexity lab certification #44D2080585. COLA certification #025490. Drug screening and confirmation quantitative analyses are conducted on SCIEX 3200 triple quad and SCIEX 4500 triple quad systems, respectively.

Patient: Demo Patient-UDS

DOB: 09/15/1975

Accession: 72936

Patient ID: NEWDemoUDS

Age: 43

Collected: 02/19/2019 04:30 PM

Provider: Test Phy

Gender: Male

Requisition: 02/20/2019 02:30 PM

Organization: Test Org

Received: 02/20/2019 02:35 PM

Location: Test Loc

Sample Type: Urine

	Result	Interpretation	Flag	Cutoff
<b>CANNABINOIDS ,SYNTHETIC (LC/MS/MS)</b>				
UR-144 5-Pentanoic acid	Negative			20 ng/mL
<b>COCAINE (METABOLITE) (LC/MS/MS)</b>				
Benzoylcegonine	>500	ILLICIT	Positive	50 ng/mL
<b>COUGH SUPPRESSANTS (LC/MS/MS)</b>				
Dextromethorphan	Negative			50 ng/mL
Dextrophan	Negative			100 ng/mL
<b>FENTANYLS (LC/MS/MS)</b>				
Fentanyl	Negative			0.5 ng/mL
Norfentanyl	Negative			0.5 ng/mL
<b>GABAPENTIN (LC/MS/MS)</b>				
Gabapentin	Negative			500 ng/mL
<b>HEROIN METABOLITE (LC/MS/MS)</b>				
6-Monoacetylmorphine (Heroin Metabolite)	Negative			10 ng/mL
<b>KETAMINE AND NORKETAMINE (LC/MS/MS)</b>				
Ketamine	Negative			50 ng/mL
Norketamine	Negative			50 ng/mL
<b>METHADONE (LC/MS/MS)</b>				
Methadone	Negative			50 ng/mL
EDDP	Negative			50 ng/mL
<b>METHYLENEDIOXYAMPHETAMINES (LC/MS/MS)</b>				
MDMA	Negative			100 ng/mL
MDA	Negative			100 ng/mL
<b>METHYLPHENIDATE (LC/MS/MS)</b>				
Methylphenidate	Negative			100 ng/mL

\*A negative result indicates drug not detected or concentration below the cutoff (Trace amount). Please contact Vision Laboratories with any questions about this report.

-All tests are performed at Vision Laboratories, 6130 Shallowford Rd, Suite 100, Chattanooga, TN, 37421.

-Disclaimer: The development and performance characteristics of these tests were determined by Vision Laboratories, LLC and have not been cleared or approved by the FDA.

-Credentials: CLIA high complexity lab certification #44D2080585. COLA certification #025490. Drug screening and confirmation quantitative analyses are conducted on SCIEX 3200 triple quad and SCIEX 4500 triple quad systems, respectively.



Patient: Demo Patient-UDS

DOB: 09/15/1975

Accession: 72936

Patient ID: NEWDemoUDS

Age: 43

Collected: 02/19/2019 04:30 PM

Provider: Test Phy

Gender: Male

Requisition: 02/20/2019 02:30 PM

Organization: Test Org

Received: 02/20/2019 02:35 PM

Location: Test Loc

Sample Type: Urine

	Result	Interpretation	Flag	Cutoff
<b>METHYLPHENIDATE (LC/MS/MS)</b>				
Ritalinic acid	Negative			100 ng/mL
<b>NICOTINE (LC/MS/MS)</b>				
Nicotine	Negative			100 ng/mL
Cotinine	Negative			100 ng/mL
<b>OPIATE ANTAGONISTS (LC/MS/MS)</b>				
Naloxone	Negative			50 ng/mL
Naltrexone	Negative			50 ng/mL
<b>OPIATES (LC/MS/MS)</b>				
Codeine	Negative			50 ng/mL
Morphine	Negative			50 ng/mL
<b>OPIOIDS AND OPIATE ANALOGS (LC/MS/MS)</b>				
Hydrocodone	Negative			50 ng/mL
Hydromorphone	Negative			50 ng/mL
Norhydrocodone	Negative			50 ng/mL
Meperidine	Negative			50 ng/mL
Normeperidine	Negative			50 ng/mL
<b>OXYCODONE (LC/MS/MS)</b>				
Oxycodone	Negative			50 ng/mL
Oxymorphone	Negative			50 ng/mL
Noroxycodone	Negative			50 ng/mL
<b>PREGABALIN (LC/MS/MS)</b>				
Pregabalin	Negative			500 ng/mL
<b>SEDATIVE HYPNOTICS (LC/MS/MS)</b>				
Zaleplon	Negative			100 ng/mL
Zolpidem	Negative			5 ng/mL
Zolpidem Phenyl-4-carboxylic	Negative			10 ng/mL

\*A negative result indicates drug not detected or concentration below the cutoff (Trace amount). Please contact Vision Laboratories with any questions about this report.

-All tests are performed at Vision Laboratories, 6130 Shallowford Rd, Suite 100, Chattanooga, TN, 37421.

-Disclaimer: The development and performance characteristics of these tests were determined by Vision Laboratories, LLC and have not been cleared or approved by the FDA.

-Credentials: CLIA high complexity lab certification #44D2080585. COLA certification #025490. Drug screening and confirmation quantitative analyses are conducted on SCIEX 3200 triple quad and SCIEX 4500 triple quad systems, respectively.



**Final (Medical Review) Report**

**VISION LABORATORIES**

6130 Shallowford Road  
Chattanooga, TN 37421  
Phone: (844) 484 - 3522  
Fax: (423) 490 - 7384

Patient: Demo Patient-UDS  
Patient ID: NEWDemoUDS  
Provider: Test Phy  
Organization: Test Org  
Location: Test Loc

DOB: 09/15/1975  
Age: 43  
Gender: Male

Accession: 72936  
Collected: 02/19/2019 04:30 PM  
Requisition: 02/20/2019 02:30 PM  
Received: 02/20/2019 02:35 PM  
Sample Type: Urine

	Result	Interpretation	Flag	Cutoff
<b>SKELETAL MUSCLE RELAXANTS (LC/MS/MS)</b>				
Carisoprodol	Negative			100 ng/mL
Meprobamate	Negative			100 ng/mL
Cyclobenzaprine	Negative			100 ng/mL
<b>STIMULANTS, SYNTHETIC (LC/MS/MS)</b>				
Ephedrine	Negative			100 ng/mL
Methylone	Negative			20 ng/mL
MDPV	Negative			20 ng/mL
Phentermine	Negative			100 ng/mL
<b>TAPENTADOL (LC/MS/MS)</b>				
Tapentadol	Negative			25 ng/mL
<b>TRAMADOL (LC/MS/MS)</b>				
Tramadol	Negative			50 ng/mL
o-Desmethyltramadol	Negative			50 ng/mL

**Results Finalized by: CJO on 02/20/2019 02:44 PM**

\*A negative result indicates drug not detected or concentration below the cutoff (Trace amount). Please contact Vision Laboratories with any questions about this report.  
-All tests are performed at Vision Laboratories, 6130 Shallowford Rd, Suite 100, Chattanooga, TN, 37421.  
-Disclaimer: The development and performance characteristics of these tests were determined by Vision Laboratories, LLC and have not been cleared or approved by the FDA.  
-Credentials: CLIA high complexity lab certification #44D2080585. COLA certification #025490. Drug screening and confirmation quantitative analyses are conducted on SCIEX 3200 triple quad and SCIEX 4500 triple quad systems, respectively.