Contents



Shipping materials are also provided.

General Guidelines

- Avoid strong repetitive pressure ('milking') on the pricked finger. This
 may cause hemolysis or tissue-fluid contamination of the specimen.
- Do not rub or smear the blood sample.
- Air dry only.
- Not completing the online registration will prohibit the processing of your specimen.
- Allow a sufficient quantity of blood to soak through to completely fill in the preprinted circle on the filter paper.
- Test results are sent directly to you and your ordering provider and make take 5 days from the date your specimen is received by the lab.
- · 4U Health cannot accept New York State collected samples.

Testing After Exposure

 Screening for STDs can be done as early as 2 weeks after exposure. However, to definitively rule out STDs after potential exposure, we recommend retesting after at least 3 months for the most accurate results.

Warnings and Precautions


- The kit contains a biohazard bag containing a desiccant. To preserve the integrity of the desiccant, do not leave the biohazard bag open before, during, or after blood collection. Leave the desiccant inside the biohazard bag with the collected specimen and seal the bag tightly for shipment.
- The materials provided in the kit are for one time use only. Do not reuse the lancet. Do not reuse or use the blood collection paper for more than one blood sample.
- Do not perform this test if you are taking blood thinning medications or if you have a blood clotting disorder unless authorized by your healthcare practitioner.
- · The lancet is not suggested for use on children younger than one year old.
- Blood samples should not be collected from swollen or previously punctured sites, earlobes or fifth pinky finger. The fifth finger must not be punctured because the tissue-depth is insufficient to prevent bone injury.

Intended Use:

4U Health's Whole Blood Specimen Collection Supplies are intended to be used as a medium to collect and transport a blood specimen to the laboratory for testing.

DRIED BLOOD SPOT (DBS) COLLECTION & SHIPPING INSTRUCTIONS

Finger Prick STD Tests





PO Box 100083, Pittsburgh, PA 15233 | 1.866.610.1200 help@4uhealth.com | 4uhealth.com

Read this document carefully before using the contents of this package.

4U Health's Specimen Collection and Shipping Instructions for Dried Blood Spot (DBS) is permitted for use under the guidance of a healthcare practitioner. Please contact help@4uhealth.com with any questions or to speak with your ordering provider.



Preparation



https://4uhealth.com/register



Blood Spot Collection Card Print your Name, Date of Birth, and Date of Collection in provided fields. · Name on Card and registration must match. · Unlabeled cards will be rejected.

Twelve Spot Blood Card

Lay Out Collection Materials



Alcohol Swab/Gauze/Bandage Tear open packages, leaving swab, gauze, and bandage inside until use.



Unfold the cover to expose the Blood Collection Card.

Tip:

Taping the outer cover to the edge of the table top may help stabilize the Blood Collection Card.




fold here.

Blood Collection Card




Wash hands for 30-60 seconds under warm water. _eave collection hand under warm water for 60 additional seconds while opening and closing your hand (make a fist motion repeatedly). This will aid blood flow to your fingers.

Collection



Uncap the blue lancet.


(Do NOT touch or depress red tip)



Place the tip of the lancet against the side of the fingertip. (The side facing the 5th finger)



Gently press the pricked finger from below the puncture site to allow for a large drop of blood to form.




Hold finger downward to allow blood to drop onto circles.




Once specimen collection is completed, apply the provided bandage to the puncture site.

Diagrams of the Blood Spot Collection Card

Valid Specimen:





Insufficient for Testing Uneven and incomplete application will be rejected.

Drying

Air-dry completely. Prop the card up or leave taped on table and let air-dry for at least 3 hours. Keep away from moisture and sunlight. It is important that the blood is not in contact with the cover.

Once fully dried, tuck the cover into flap as indicated. Insert the Blood Spot Collection Card into the biohazard bag containing the desiccant and seal tightly.

Shipping

Mail Samples Same Day As Collected

- 1. Close the card and place in the provided biohazard bag.
- 2. Place biohazard bag into the 4U Health shipping box.
- 3. If your STD Kit came with more than one specimen type, please follow your urine and/or swab collection instructions.
- 4. Once all your specimens are in the 4U Health shipping box, close and insert box into the shipping bag, seal bag, then label bag with return shipping label.
- 5. Returning By USPS

If your return label says USPS, drop in the nearest mailbox or deliver to your favorite post office.

Returning By FedEx

If you purchased expedited shipping with FedEx, Drop off at the nearest FedEx dropbox Monday thru Friday: https://www.fedex.com/enus/shipping/dropbox.html

If shipping on a Saturday, we recommend you visit a FedEx Office location. Verify your drop-off location offers Saturday service: https://local.fedex.com/en-us





2

4

Wipe away the first drop of

Completely fill at least 10 blood spots. The recommended collection amount is 12 blood spots - allows for repeat testing when necessary to confirm positive HIV screening results. Use additional lancet(s) if needed.


Make sure blood saturates through to the back of the card.

Press down firmly until an audible click is heard.

Use the provided alcohol pad

to clean the tip of the finger

(3rd finger or 4th finger)



blood with the gauze.